

**Table E1. Major fuels consumption by end use, 2018**

Total major fuels consumption (trillion British thermal units)

	Total	Space heating	Cooling	Ventilation	Water heating	Lighting	Cooking	Refrigeration	Office equipment	Computing	Other
<b>All buildings</b>	6,787	2,167	589	728	343	709	485	369	47	270	1,081
<b>Building floorspace (square feet)</b>											
1,001 to 5,000	576	154	56	42	29	52	71	67	6	11	88
5,001 to 10,000	597	177	61	44	26	58	76	54	4	12	87
10,001 to 25,000	921	324	86	73	38	94	47	48	7	41	161
25,001 to 50,000	960	333	91	91	56	108	44	55	6	25	150
50,001 to 100,000	1,075	362	96	117	66	116	59	56	6	34	164
100,001 to 200,000	959	297	79	121	46	108	62	42	7	46	151
200,001 to 500,000	1,004	317	74	129	47	101	63	31	6	67	170
Over 500,000	696	203	47	112	36	72	62	18	4	33	110
<b>Principal building activity</b>											
Education	854	362	92	65	48	75	31	22	6	33	120
Food sales	233	33	7	13	Q	13	26	88	1	Q	Q
Food service	365	44	25	23	26	15	144	56	2	1	29
Health care	581	178	36	98	37	49	41	12	4	23	102
Inpatient	436	140	28	65	33	27	39	9	3	16	77
Outpatient	144	38	8	34	4	22	2	3	2	7	26
Lodging	598	108	41	87	111	50	76	27	3	8	87
Mercantile	953	238	71	116	61	141	100	71	7	21	126
Retail (other than mall)	333	81	31	60	4	62	16	16	2	6	54
Enclosed and strip malls	620	157	39	56	57	79	84	56	5	15	72
Office	1,093	325	81	214	16	131	16	22	14	85	191
Public assembly	583	277	96	28	6	37	22	19	3	7	88
Public order and safety	133	45	14	9	16	18	4	3	1	4	18
Religious worship	193	88	21	16	4	19	19	5	1	2	18
Service	318	166	22	16	Q	49	1	4	2	4	46
Warehouse and storage	528	208	52	24	7	80	1	36	2	8	111
Other	328	83	28	17	2	30	4	4	1	72	87
Vacant	27	11	4	1	Q	3	Q	(*)	(*)	(*)	7
<b>Year constructed</b>											
Before 1920	233	99	14	21	8	21	13	8	1	Q	33
1920 to 1945	401	153	34	46	14	38	24	17	3	22	51
1946 to 1959	445	185	36	35	25	41	26	19	3	12	63
1960 to 1969	764	281	65	72	46	75	49	39	5	19	113
1970 to 1979	905	294	79	98	46	102	61	51	6	31	138
1980 to 1989	962	255	79	115	59	102	82	50	8	54	160
1990 to 1999	958	291	93	114	44	111	60	53	7	29	157
2000 to 2009	1,392	409	127	147	64	144	117	86	9	57	233
2010 to 2018	728	201	64	80	38	76	52	47	5	30	134

**Table E1. Major fuels consumption by end use, 2018**

Total major fuels consumption (trillion British thermal units)

	Total	Space heating	Cooling	Ventilation	Water heating	Lighting	Cooking	Refrigeration	Office equipment	Computing	Other
<b>All buildings</b>	6,787	2,167	589	728	343	709	485	369	47	270	1,081
<b>Census region and division</b>											
Northeast	1,226	494	62	131	54	128	63	49	8	51	187
New England	277	110	10	29	13	27	16	16	2	7	47
Middle Atlantic	949	384	52	102	41	100	47	33	6	44	140
Midwest	1,930	804	102	184	79	178	118	100	11	71	283
East North Central	1,374	579	73	131	61	123	93	78	8	43	186
West North Central	556	225	30	53	17	55	25	22	3	28	97
South	2,348	545	345	266	124	263	170	133	18	84	400
South Atlantic	1,231	270	180	145	66	140	91	69	9	43	217
East South Central	357	108	44	37	15	39	25	18	3	12	56
West South Central	760	167	121	83	43	84	53	46	6	30	127
West	1,284	325	80	148	86	140	134	88	11	64	210
Mountain	570	174	34	62	35	56	67	37	4	30	72
Pacific	713	151	46	86	51	84	67	50	7	34	138
<b>Climate Zone<sup>a</sup></b>											
Cold or very cold	541	229	13	49	17	45	27	35	3	28	95
Cool	1,971	812	81	194	90	193	138	97	12	70	283
Mixed mild	1,911	689	141	212	97	193	113	82	12	82	291
Warm	1,626	378	193	183	99	185	137	103	14	57	277
Hot or very hot	738	60	161	90	38	92	70	52	6	32	135
<b>Number of floors</b>											
1	2,853	870	282	241	126	318	246	221	19	87	444
2	1,438	493	134	143	72	162	84	75	11	44	218
3	749	272	62	81	34	77	37	30	5	33	118
4 to 9	1,184	386	77	157	77	105	65	31	8	64	214
10 or more	563	146	35	106	33	46	53	12	4	41	87
<b>Elevators and escalators (more than one may apply)</b>											
Any elevators	2,965	955	229	405	161	282	173	85	21	162	491
1 elevator	930	360	82	100	41	94	35	34	7	35	140
2 to 5 elevators	1,114	332	88	152	67	110	53	31	8	77	196
6 or more elevators	920	263	59	153	52	77	85	21	6	49	154
Any escalators	324	88	22	50	18	32	38	10	2	17	48
<b>Number of workers (main shift)</b>											
Fewer than 5	889	321	104	55	34	86	37	61	5	24	163
5 to 9	664	214	65	53	36	68	46	47	5	12	118
10 to 19	778	265	65	70	53	77	76	55	5	17	95
20 to 49	1,233	378	106	116	66	133	106	79	8	74	168
50 to 99	1,013	333	86	106	52	109	60	57	6	32	172
100 to 249	1,032	318	86	135	48	125	79	46	7	33	155
250 or more	1,177	338	77	194	54	111	81	25	9	77	209
<b>Weekly operating hours</b>											
Fewer than 40	414	167	48	16	11	34	23	20	3	12	81
40 to 48	946	348	96	76	31	102	33	32	9	39	182
49 to 60	1,265	460	117	128	46	148	55	46	11	68	184
61 to 84	1,183	397	90	113	50	136	107	73	9	35	172
85 to 167	976	289	80	94	36	110	106	108	4	13	134
Open continuously	2,003	507	157	301	170	179	160	89	9	102	328

**Table E1. Major fuels consumption by end use, 2018**

Total major fuels consumption (trillion British thermal units)

	Total	Space heating	Cooling	Ventilation	Water heating	Lighting	Cooking	Refrigeration	Office equipment	Computing	Other
<b>All buildings</b>	6,787	2,167	589	728	343	709	485	369	47	270	1,081
<b>Ownership and occupancy</b>											
Nongovernment owned	5,218	1,564	429	586	272	569	415	315	36	208	824
Owner occupied	3,190	996	273	359	167	321	235	193	21	112	512
Leased to tenant or tenants	2,019	563	155	227	106	247	180	121	15	95	309
Unoccupied	10	5	Q	0	Q	Q	Q	Q	Q	Q	3
Government owned	1,569	603	160	142	71	139	70	54	11	62	256
Federal	159	57	12	23	3	19	7	3	1	8	27
State	578	214	56	50	32	45	28	21	4	19	107
Local	832	332	92	69	35	75	35	31	6	35	122
<b>Party responsible for operation of energy systems</b>											
Building owner	5,563	1,821	487	613	274	560	361	281	38	221	906
Business owner or tenant	916	274	73	78	47	111	100	71	6	34	123
Property management	144	31	13	19	11	17	13	10	1	5	24
Other	165	42	15	19	12	21	11	7	1	9	28
<b>Provider of direct input on energy-related equipment purchases</b>											
Building owner	5,788	1,886	509	634	285	590	381	299	40	227	936
Business owner or tenant	587	168	45	47	31	70	71	48	4	25	79
Property management	85	20	6	10	7	10	8	7	1	2	13
Other	327	92	29	37	20	38	25	16	3	15	52
<b>Number of establishments</b>											
1	4,468	1,469	408	432	233	439	305	248	28	171	736
2 to 5	1,206	383	105	142	54	131	83	68	9	44	186
6 to 10	438	132	28	56	23	53	37	25	4	21	61
11 to 20	341	94	25	46	18	43	32	17	3	13	50
More than 20	319	82	21	52	15	42	28	11	3	21	44
Currently unoccupied	15	8	2	Q	Q	Q	Q	Q	Q	Q	5
<b>Predominant exterior wall material</b>											
Brick, stone, or stucco	3,593	1,170	324	388	205	339	304	179	26	129	528
Concrete (block or poured)	1,435	434	128	160	67	162	102	100	8	59	214
Concrete panels	534	176	40	59	21	64	20	22	4	39	90
Siding or shingles	384	109	26	32	28	41	22	28	3	9	87
Metal panels	498	181	47	37	11	69	12	25	3	8	104
Window glass	186	57	13	28	5	17	13	5	2	14	33
Other	156	41	10	24	6	17	11	10	1	12	24
<b>Predominant roof material</b>											
Metal surfacing	1,006	329	111	73	31	123	52	66	6	20	195
Synthetic or rubber	2,587	831	194	311	118	268	196	151	17	110	390
Built-up	1,544	505	136	179	84	153	114	71	10	75	216
Slate or tile shingles	273	79	28	25	19	25	31	17	2	6	40
Wooden materials (including shingles)	93	24	10	9	8	10	11	7	1	1	13
Asphalt, fiberglass, or other shingles	915	310	76	91	64	95	57	39	7	28	147
Concrete	165	37	15	19	9	15	8	5	1	Q	35
Other	204	54	19	21	8	21	15	13	2	8	44

**Table E1. Major fuels consumption by end use, 2018**

**Total major fuels consumption (trillion British thermal units)**

	Total	Space heating	Cooling	Ventilation	Water heating	Lighting	Cooking	Refrigeration	Office equipment	Computing	Other
<b>All buildings</b>	6,787	2,167	589	728	343	709	485	369	47	270	1,081
<b>Roof tilt</b>											
Flat	4,397	1,368	366	527	222	450	333	220	30	202	679
Shallow pitch	1,556	515	146	130	75	179	93	99	10	52	255
Steeper pitch	834	284	78	70	47	79	58	50	6	15	146
<b>Cool roof characteristics (more than one may apply)</b>											
White or reflective coating or paint	2,490	732	218	289	118	269	200	138	17	95	415
White or reflective tiles or shingles	221	61	22	23	12	20	16	15	1	Q	37
Aluminum coating	344	92	38	32	16	42	32	27	2	8	55
Ballasted roof system	548	184	39	65	26	46	46	17	3	32	90
Other cool roof property	128	35	11	18	7	14	9	7	1	7	19
<b>Renovations since 2000 (more than one may apply)</b>											
Any type of renovation	3,474	1,163	279	410	179	345	254	167	24	142	511
Addition or annex	934	338	74	105	48	83	78	45	6	28	130
Reduction in floorspace	154	52	12	21	7	16	11	7	1	6	21
Roof replacement	1,619	535	127	187	91	155	133	76	11	64	241
Interior wall reconfiguration	1,670	572	125	218	73	166	111	62	12	79	251
Window replacement	865	310	60	100	46	83	75	39	6	30	116
HVAC equipment upgrade	2,202	736	174	270	116	212	159	99	16	94	327
Lighting upgrade	2,336	775	171	288	119	227	175	112	16	106	347
Electrical upgrade	1,345	446	100	161	67	123	119	58	9	63	198
Plumbing system upgrade	1,292	433	98	162	70	117	105	54	9	55	188
Insulation upgrade	663	227	48	80	33	61	56	26	4	26	102
Fire, safety, or security upgrade	1,657	552	126	200	92	156	131	69	11	73	248
Structural upgrade	393	127	23	46	25	33	37	16	2	20	62
Other	101	26	10	19	2	13	9	4	1	2	15
No renovations	2,812	859	266	263	138	313	195	166	20	112	478
Buildings constructed 2013 or later	501	144	44	55	26	51	35	36	3	15	92
<b>Energy sources (more than one may apply)</b>											
Electricity	6,787	2,167	589	728	343	709	485	369	47	270	1,081
Natural gas	5,442	1,891	407	575	300	537	460	284	35	185	769
Fuel oil	1,958	589	142	245	96	176	127	79	13	144	347
District heat	786	293	31	96	49	56	39	16	5	36	164
District chilled water	477	172	5	52	29	35	24	13	3	27	117
Propane	598	145	50	58	32	68	54	55	4	17	117
Solar	295	94	22	36	14	31	30	18	2	10	39
Wood, coal, and other	145	41	12	13	6	16	20	10	1	6	21
<b>Space-heating energy sources (more than one may apply)</b>											
Electricity	3,304	791	322	374	217	376	297	210	25	142	548
Natural gas	4,549	1,717	338	475	216	460	348	238	29	145	584
Fuel oil	321	143	16	33	12	29	11	13	2	10	52
District heat	752	287	30	91	45	55	38	16	5	35	151
Propane	182	25	17	22	Q	21	Q	19	1	5	32
Other sources <sup>b</sup>	34	13	3	3	(*)	5	Q	2	(*)	1	6

**Table E1. Major fuels consumption by end use, 2018**

Total major fuels consumption (trillion British thermal units)

	Total	Space heating	Cooling	Ventilation	Water heating	Lighting	Cooking	Refrigeration	Office equipment	Computing	Other
<b>All buildings</b>	6,787	2,167	589	728	343	709	485	369	47	270	1,081
<b>Primary space-heating energy source</b>											
Electricity	1,744	223	221	212	133	216	160	125	15	97	342
Natural gas	3,896	1,595	284	400	152	385	275	191	24	108	482
Fuel oil	138	75	6	9	5	13	2	6	1	3	19
District heat	707	271	28	85	42	51	33	15	4	34	144
Propane	73	3	10	10	3	12	4	12	1	2	17
Other sources <sup>b</sup>	8	Q	Q	1	Q	2	Q	1	(*)	(*)	2
<b>Cooling energy sources (more than one may apply)</b>											
Electricity	6,201	1,949	584	693	321	663	470	356	44	260	861
Natural gas	43	14	5	5	2	3	3	1	(*)	1	7
District chilled water	477	172	5	52	29	35	24	13	3	27	117
<b>Water-heating energy sources (more than one may apply)</b>											
Electricity	3,186	893	307	348	131	376	229	193	25	150	535
Natural gas	3,984	1,351	305	421	256	377	365	230	26	141	512
Fuel oil	158	72	9	18	6	13	6	5	1	6	21
District heat	493	188	19	65	32	35	22	10	3	15	103
Propane	140	17	16	12	4	14	9	19	1	3	Q
<b>Cooking energy sources (more than one may apply)</b>											
Electricity	2,765	822	203	308	167	257	325	194	17	79	394
Natural gas	2,841	835	207	310	171	246	444	193	16	77	342
Propane	228	57	23	20	14	26	22	27	2	6	32
<b>Energy end uses (more than one may apply)</b>											
Buildings with space heating	6,567	2,167	551	716	335	678	474	349	46	244	1,006
Buildings with cooling	6,515	2,064	589	726	339	686	480	364	46	268	953
Buildings with water heating	6,590	2,126	561	715	343	673	484	366	46	266	1,009
Buildings with cooking	3,953	1,172	309	434	244	358	485	276	24	110	541
Buildings with manufacturing	483	168	27	43	11	52	24	36	2	10	110
Buildings with electricity generation	2,719	804	207	328	142	251	187	122	17	165	495
Buildings with lighting	6,773	2,164	588	727	342	709	485	369	47	270	1,073
<b>Percentage of floorspace heated</b>											
Not heated	220	N	38	13	8	30	11	20	1	25	74
1% to 50%	442	93	49	46	18	63	27	40	3	28	75
51% to 99%	1,597	478	124	192	93	164	149	101	12	49	234
100%	4,529	1,596	378	477	225	452	298	209	31	167	697
<b>Percentage of floorspace cooled</b>											
Not cooled	272	104	N	3	4	23	5	6	(*)	1	127
1% to 50%	858	373	61	65	30	115	29	41	5	17	122
51% to 99%	2,199	695	177	261	114	216	170	132	15	105	314
100%	3,458	996	351	399	194	355	281	190	27	146	518

**Table E1. Major fuels consumption by end use, 2018**

**Total major fuels consumption (trillion British thermal units)**

	Total	Space heating	Cooling	Ventilation	Water heating	Lighting	Cooking	Refrigeration	Office equipment	Computing	Other
<b>All buildings</b>	6,787	2,167	589	728	343	709	485	369	47	270	1,081
<b>Percentage lit when open</b>											
0%	Q	Q	Q	Q	Q	N	N	Q	Q	Q	Q
1% to 50%	601	226	71	50	25	42	27	28	4	25	102
51% to 99%	3,116	980	247	353	175	311	253	172	22	126	479
100%	3,029	945	267	325	143	352	205	169	21	118	485
Building never open or electricity not used	32	15	3	(*)	Q	4	Q	Q	Q	Q	9
<b>Percentage lit during off hours</b>											
0%	658	237	75	41	21	60	37	35	5	13	134
1% to 50%	5,050	1,662	438	556	238	522	367	271	37	191	767
51% to 100%	826	208	57	100	61	94	57	44	4	56	143
Building always open with no off hours	254	60	18	30	23	33	24	19	1	10	36
Electricity not used	N	N	N	N	N	N	N	N	N	N	N
<b>Heating equipment (more than one may apply)</b>											
Packaged heating units	3,666	1,078	333	403	200	399	341	248	25	110	531
Furnaces	1,186	442	82	105	68	131	98	78	9	31	143
Individual space heaters	1,521	509	110	144	95	165	128	81	11	67	212
Boilers	2,447	912	182	273	124	219	176	88	15	88	370
Heat pumps	1,159	274	109	137	88	133	116	61	10	60	171
District heat	752	287	30	91	45	55	38	16	5	35	151
Duct reheat	630	157	48	87	33	70	55	33	5	35	107
Other	143	26	4	9	6	12	20	24	1	1	Q
<b>Cooling equipment (more than one may apply)</b>											
Packaged air-conditioning units	4,315	1,328	388	476	220	470	365	277	30	170	591
Residential-type central air conditioners	1,325	480	108	129	73	134	96	75	10	50	169
Individual air conditioners	1,065	340	85	105	94	114	89	54	7	35	142
Central chillers	1,678	531	162	230	75	149	112	53	11	105	251
Heat pumps	820	211	71	102	56	88	73	37	6	48	126
District chilled water	477	172	5	52	29	35	24	13	3	27	117
Swamp coolers	163	45	13	15	10	17	22	16	1	5	19
Other	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
<b>HVAC features (more than one may apply)</b>											
Economizer cycle	3,016	991	223	375	152	277	218	141	20	160	459
Variable air volume (VAV) system	2,521	821	208	308	115	232	167	88	18	136	429
Dedicated outside air system (DOAS)	882	258	60	102	49	73	83	51	6	36	163
Demand controlled ventilation (DCV)	851	305	69	88	33	84	53	36	5	57	122
Regular HVAC maintenance	6,025	1,910	528	676	314	618	437	326	42	255	918
Building automation system (BAS) controls heating or cooling	3,577	1,106	284	439	175	333	255	161	24	200	600
Internet-connected or smart thermostat	379	106	43	40	20	43	29	32	2	8	56
Programmable thermostat	1,297	465	119	122	65	150	98	74	10	31	163

**Table E1. Major fuels consumption by end use, 2018**

**Total major fuels consumption (trillion British thermal units)**

	Total	Space heating	Cooling	Ventilation	Water heating	Lighting	Cooking	Refrigeration	Office equipment	Computing	Other
<b>All buildings</b>	6,787	2,167	589	728	343	709	485	369	47	270	1,081
<b>Main equipment replaced since 2000 (more than one may apply)</b>											
Heating	2,191	744	189	240	116	239	155	118	17	72	300
Cooling	1,634	580	153	182	95	163	105	69	12	68	207
<b>Water-heating equipment</b>											
Centralized system	4,418	1,493	372	458	233	431	313	250	30	163	675
Distributed system	1,037	296	91	104	61	117	88	61	7	50	162
Combination of centralized and distributed systems	1,134	338	98	154	48	125	82	55	9	53	173
<b>Generation technologies (more than one may apply)</b>											
Reciprocating engine generators	2,370	703	182	286	120	210	156	100	15	154	442
Solar panels	287	91	21	35	14	30	28	17	2	10	39
Other generation technology	205	57	11	26	12	22	13	7	2	Q	40
<b>Lighting equipment types (more than one may apply)</b>											
Incandescent	1,838	571	131	185	107	230	179	92	14	68	261
Standard fluorescent	5,322	1,722	458	581	274	547	383	274	38	219	827
Compact fluorescent	2,916	924	223	340	172	303	232	135	21	134	431
High-intensity discharge (HID)	990	329	75	111	43	111	72	32	5	55	155
Halogen	1,364	401	109	140	84	164	148	76	10	53	178
LED	4,910	1,528	398	555	263	487	387	274	35	222	762
Other	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q	Q
<b>Refrigeration equipment (more than one may apply)</b>											
Any refrigeration	6,020	1,897	500	658	318	613	483	369	42	222	918
Walk-in units	3,186	871	234	359	187	278	411	275	18	86	465
Cases or cabinets	2,899	817	209	325	161	264	349	253	18	102	401
Large cold storage areas	441	88	24	37	25	34	52	75	2	10	94
Commercial ice makers	3,354	968	270	388	209	304	382	244	21	102	466
Residential-type or compact units	4,790	1,583	402	525	256	501	331	236	36	188	732
Vending machines	3,550	1,124	285	432	196	368	246	182	23	141	552
No refrigeration	767	270	89	70	25	95	2	N	5	48	163
<b>Office equipment (more than one may apply)</b>											
Desktop computers	6,183	1,978	524	687	314	646	448	336	44	253	953
With multiple monitors	4,017	1,298	318	491	185	421	261	167	31	201	644
Laptop computers	5,215	1,701	436	602	265	552	348	241	39	241	791
Dedicated servers	4,119	1,293	331	482	208	434	281	199	32	244	615
Tablets charged in building	3,995	1,243	314	471	206	417	321	193	30	193	607
Large floor-standing office devices <sup>c</sup>	4,166	1,386	339	490	209	436	256	170	35	199	647
Smaller desktop office devices <sup>c</sup>	5,597	1,792	471	626	284	594	401	296	42	220	870
Interactive whiteboards	1,289	446	106	151	67	121	80	39	11	67	203
Televisions or video displays	5,058	1,578	420	587	280	525	390	267	40	215	758
Point-of-sale devices or cash registers	3,239	938	248	365	172	311	371	252	24	101	457



**Table E1. Major fuels consumption by end use, 2018**

**Total major fuels consumption (trillion British thermal units)**

	Total	Space heating	Cooling	Ventilation	Water heating	Lighting	Cooking	Refrigeration	Office equipment	Computing	Other
<b>All buildings</b>	6,787	2,167	589	728	343	709	485	369	47	270	1,081
<b>Food preparation or serving areas in non-food service buildings (more than one may apply)</b>											
Snack bar, concession stand, or coffee shop	1,003	317	70	119	56	86	114	63	6	35	136
Fast food or small restaurant	1,023	283	61	141	57	106	131	72	7	29	137
Cafeteria or large restaurant	1,270	430	104	157	76	113	117	44	8	48	173
Commercial kitchen or food preparation area	1,741	507	135	215	116	163	193	110	10	48	243
Small kitchen area	1,507	505	116	169	96	146	136	72	11	55	201
<b>Separate computer areas (more than one may apply)</b>											
Server closet	3,775	1,216	302	453	198	403	263	188	29	153	570
Data center	1,061	329	69	150	51	99	69	36	8	63	187
Computer-based training room	1,400	471	110	168	82	138	98	53	10	62	208
Student or public computer center	1,007	357	88	93	66	88	85	38	7	38	146
<b>Window and interior lighting features (more than one may apply)</b>											
Multipaned windows	5,540	1,778	457	605	289	556	422	304	39	236	854
Tinted window glass	3,519	1,076	314	401	179	361	281	188	27	159	533
Reflective window glass	1,553	451	108	188	88	159	134	75	11	87	252
External overhangs or awnings	2,367	700	196	246	134	239	246	162	19	83	342
Skylights or atriums	1,486	469	118	186	70	152	113	69	10	65	234
Light scheduling	2,913	829	220	365	156	281	265	162	21	161	453
Occupancy sensors	3,525	1,128	265	432	180	338	242	170	26	165	578
Multilevel lighting or dimming	1,341	412	100	166	68	109	147	67	9	53	209
Daylight harvesting	643	174	45	92	29	63	50	34	5	46	105
Plug-load control	179	41	13	22	10	14	12	8	1	Q	41
Demand responsive lighting	160	59	11	19	7	15	12	8	1	5	24
Building automation system (BAS) for lighting	1,462	403	117	192	69	146	133	91	10	66	235
<b>Electric vehicle (EV) charging</b>											
Charging stations associated with the building	735	206	53	100	38	80	64	37	5	36	116

Data source: U.S. Energy Information Administration, Forms EIA-871A, C, D, E, and F of the 2018 Commercial Buildings Energy Consumption Survey

Notes: Because of rounding, data may not sum to totals. The *Guide to the 2018 CBECS Tables* and *CBECS Terminology* contain definitions of terms used in these tables and comparisons between previous CBECS tables. You can access both references from <http://www.eia.gov/consumption/commercial/data/2018/>.

Estimates for types of equipment represent consumption in buildings that have the equipment, not the consumption by the specific piece of equipment.

HVAC = Heating, ventilation, and air conditioning.

<sup>a</sup>Climate zones are based on ASHRAE Standard 169-2021; see <https://www.eia.gov/consumption/commercial/maps.php#defined>.

<sup>b</sup>Other sources includes wood, coal, solar, and all other energy sources.

<sup>c</sup>Office devices refers to any combination of printers, copiers, scanners, or FAX machines.

Q = Data withheld either because the relative standard error was greater than 50% or the reporting sample had fewer than 20 buildings.

N = No buildings in reporting sample.

(\*) = Value rounds to zero in the units displayed.